

Potsdam Kita Am Storchennest
 Hort Schulplatz 1
 Kita Wasserläufer

Kita Zauberstein
 KiGa Schulplatz 1
 Kita KönigsKinder

Tel: 0331-971 98 83
 Fax: 0331-971 98 87

BRB / Havel Kita Wellenreiter
 Hort Wellenreiter
 Kita Perlentaucher

Falkensee Kita Nesthüpfer

<u>Filled in by the management !!</u>
Impfstatus: _____
Geschwisterkind: _____
RA zum: _____
Eingewöhnung: _____
Aufnahme/Vertrag: _____

(Please fill in with block letters)

The admission of our/my child:

Name

First name

Street

male female _____
Birthday

ZIP/Place

Date of wished admission

Legal guardians:

Name

First name

Street

ZIP Place

Telephone

Email

Name

First name

Street

ZIP Place

Telephone

Email

A sufficient vaccination status of the child is necessary to attend the childcare institution and will be part of the agreement.

For children under three-years-old we offer a one-time acclimation opportunity according to the "Berliner Modell". The exact date needs to be settled with the kindergarten beforehand.

The data protection policy is a part of the agreement and your data will be treated according to it.

Date / Place Signature
Legal Guardian

Date / Place Signature
Legal Guardian

Privacy Policy of LSB SportService Brandenburg gmbH

Within the framework of the agreement, you provide us with data during the period of attendance. The given information will be stored until all paperwork is finalized. You share your information voluntarily, although you are required by law to provide us with necessary data.

We collect your and your child's data in order to set up proper communication and records, for purposes such as; the collection of parental contributions, documentation of attendance times, participation in activities, behaviour in emergencies, etc.

We will only pass your data along to third parties if this is required and necessary e.g. when the institution is required by law to share and compare data with the youth department of the local government, to register the child for activities, or for communication with institutions responsible for the social sphere. The institution is committed to minimize the amount of data saved, and within our usage and technical capabilities to keep the data anonymous.

Responsible for the process are the respective departments of the LSB SportService Brandenburg gmbH, among others: Parental affairs 0331/97 198 80; the Management of the daycare center (for contact, see www.lsb-sportservice.de); Movement Team bewegung@lsb-sportservice.de

The data collection is in accordance with the following rights:

1. you have the right to information about the given data according to Article 15 DS-GVO,
2. the right to rectification of the given data according to Article 16 DS-GVO,
3. the right to data transfer according to Article 20 DS-GVO,
4. the right to lodge a complaint by the supervising authority according to Article 77 DS-GVO

Furthermore

5. the right to erasure of your data according to Article 17 DS-GVO,
6. the right to restrict the processing of data according to Article 18 DS-GVO,
7. the right to object against data collection according to Article 21 DS-GVO, as far as these rights do not make it impossible to fulfil the required contracts or the necessary data storage,

In addition, the conditions published on the website <https://www.lsb-sportservice.de/datenschutz.html> for data protection.

IMMUNISATION SCHEDULE

Sprache: Englisch

The vaccinations should be administered at the earliest point in time possible.

Checking the vaccination status makes sense at any age. Missing vaccinations should be caught up on immediately according to the recommendations for the respective age.

Recommendations of the Standing Committee on Vaccination (STIKO), 2022. www.stiko.de

VACCINATION	AGE	in weeks						in months						in years					
		6	2	3	4	5-10	11*	12	13-14	15	16-23	2-4	5-6	7-8	9-14	15-16	17	from 18	from 60
		U4	U4	U4	U4	U5	U5	U6	U6	U7	U7	U7/8/U8	U9	U10	U11/11	U12			
Rotavirus		G1 ^a	G2	(G3)															
Tetanus ^b		G1	N	G2	N	G3	N	G3	N	N	A1	N	A2	N	N	A			
Diphtheria ^b		G1	N	G2	N	G3	N	G3	N	N	A1	N	A2	N	N	A			
Whooping cough ^b		G1	N	G2	N	G3	N	G3	N	N	A1	N	A2	N	N	A3	N		
Pertussis		G1	N	G2	N	G3	N	G3	N	N									
Hib ^b <i>Haemophilus influenzae</i> Type b		G1	N	G2	N	G3	N	G3	N	N									
Polio Polio myelitis		G1	N	G2	N	G3	N	G3	N	N									
Hepatitis B ^b		G1	N	G2	N	G3	N	G3	N	N									
Pneumococci ^b		G1	N	G2	N	G3	N	G3	N	N									
Meningococcal C										G1									
Measles																			
Mumps, rubella																			
Chickenpox Varicella																			
HPV Human papillomavirus																			
Herpes zoster																			
Influenza influenza																			

EXPLANATIONS

- G** BASIC IMMUNISATION (in up to 3 inoculations G1 – G3)
- S** STANDARD VACCINATION
- A** BOOSTER VACCINATION
- N** CATCH-UP VACCINATION (Basic immunisation of all persons not yet vaccinated or completion of an incomplete series of vaccinations)
- U** Early detection examination
- J** Youth examination (J1 at the age of 12–14 years old)

- f** First vaccine dose as early as the age of 6 weeks; depending on the vaccine used 2 or 3 vaccine doses at an interval of at least 4 weeks.
- g** Premature infants: Additional vaccine dose at the age of 3 months, i.e. a total of 4 vaccine doses.
- c** Minimum distance from the previous dose: 6 months.
- d** Two vaccine doses at least 5 months apart; in the case of a catch-up immunisation starting at an age ≥ 15 years old or a vaccination interval of < 5 months between the 1st and 2nd dose, a 3rd dose is necessary.
- e** 1st booster vaccination every 10 years. Next due to vaccination requires one dose as a 10dp or, in the case of a respective indicator, as a 10dp-PV combination vaccination.

- f** One-time vaccination with an MMR vaccine for all persons born after 1970 ≥ 18 years old with an ambiguous vaccination status, without prior vaccination or with only one vaccination during childhood.
- g** Vaccination with the 23-valent polysaccharide vaccine.
- h** Double vaccination with the adjuvant inactivated herpes zoster vaccine at least 2 to no more than 6 months apart.
- * Vaccinations can be spread over multiple vaccination appointments. MMR and V can be administered at the same appointment or in 4-week intervals.

