Application for admission (please only use one agreement each child) LSB SportService Brandenburg gGmbH



<u>Potsdam</u>	☐ Kita Am Storchennest☐ Hort Schulplatz 1☐ Kita Wasserläufer	☐ Kita Zauberstein☐ KiGa Schulplatz 1☐ Kita KönigsKinder	Tel: 0331-58 567-204
BRB / Havel	☐ Kita Wellenreiter ☐ Hort Wellenreiter ☐ Kita Perlentaucher	Filled in by th	ne management !!
<u>Falkensee</u>	☐ Kita Nesthüpfer	Impfstatus:	
		Geschwisterkind:	
		RA zum:	
		Eingewöhnung:	
(Please fill in wit	h block letters)	Aufnahme/Vertrag:	
The admission	n of our/my child:		
Name		First name	
Name			
Street		☐ male ☐ female	Birthday
ZIP/Place		Date of wished admission	
Legal guardia	ns:		
Name		First name	
Street		ZIP Place	
Telephone		Email	
Name		First name	
Street		ZIP Place	
Telephone		Email	
part of the agre For children ur "Berliner Mode	ecination status of the child is neement. Inder three-years-old we offer a list. The exact date needs to be ction policy is a part of the agreement.	one-time acclimation opportunit settled with the kindergarten be	ty according to the eforehand.
Date / Place	Signature Legal Guardian	Date / Place Signa Lega	ature Il Guardian



Privacy Policy of LSB SportService Brandenburg gGmbH

Within the framework of the agreement, you provide us with data during the period of attendance. The given information will be stored until all paperwork is finalized. You share your information voluntarily, although you are required by law to provide us with necessary data.

We collect your and your child's data in order to set up proper communication and records, for purposes such as; the collection of parental contributions, documentation of attendance times, participation in activities, behaviour in emergencies, etc.

We will only pass your data along to third parties if this is required and necessary e.g. when the institution is required by law to share and compare data with the youth department of the local government, to register the child for activities, or for communication with institutions responsible for the social sphere. The institution is committed to minimize the amount of data saved, and within our usage and technical capabilities to keep the data anonymous.

Responsible for the process are the respective departments of the LSB SportService Brandenburg gGmbH, among others: Parental affairs 0331/58 567-204; the Management of the daycare center (for contact, see www.lsb-sportservice.de); Movement Team bewegung@lsb-sportservice.de

The data collection is in accordance with the following rights:

- 1. you have the right to information about the given data according to Article 15 DS-GVO,
- 2. the right to rectification of the given data according to Article 16 DS-GVO,
- 3. the right to data transfer according to Article 20 DS-GVO,
- 4. the right to lodge a complaint by the supervising authority according to Article 77 DS-GVO

Furthermore

- 5. the right to erasure of your data according to Article 17 DS-GVO,
- 6. the right to restrict the processing of data according to Article 18 DS-GVO,
- the right to object against data collection according to Article 21 DS-GVO, as far as these rights do not make it impossible to fulfil the required contracts or the necessary data storage,

In addition, the conditions published on the website https://www.lsb-sportservice.de/datenschutz.html for data protection.

Stand: Oktober 2018

IMMUNISATION SCHEDULE

Sprache: Englisch

The vaccinations should be administered at the earliest point in time possible. Checking the vaccination status makes sense at any age. Missing vaccinations should be caught up on immediately according to the recommendations for the respective age.

Recommendations of the Standing Committee on Vaccination (STIKO), 2022. www.stiko.de



ccination tment

	in weeks				Ë	in months									in years		
VACCINATION AGE	9	2	3	4	5-10	11*	12	13-14	15	16-23	2-4	2-6	7-8	9-14	15-16	17	from 18 from 60
}		3	4		US	ň				70	U7a/U8	 60	010	U11/J1		12	
Rotavirus	U	G1 ³	62	(63)													
Tetanus [©]		61	2	62	Z	9 83			Z			A1	2	A2		z	9
Diphtheria [©]		19	z	62	z	9 8						A1		A2			Ð
Whooping cough ® Pertussis		61	z	G2	z	8 8						A1		AZ			A3.0
Hib © Haemophilus influenzae Type b		15	z	62	Z	စ္မ											
Polio Poliomyelitis	3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	61	z	25	Z	9 E								A1			Z
Hepatitis B 🕲		15	Z	62	Z	e3											
Pneumococci [©]		15	z	G 2	Z	98 83											S
Meningococcal C							61					Z					***************************************
Measles						15	Z		G2								S
Mumps, rubella				0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		61			G2								000440000000000000000000000000000000000
Chickenpox Varicella						61			62								
HPV Human papillomavirus	1													61 GZ			
Herpes zoster																	61 G2
Influenza Influenza																	S (annually)

EXPLANATIONS

- G BASIC IMMUNISATION (in up to 3 inoculations G1 G3)
 - S STANDARD VACCINATION
- N CATCH-UP VACCINATION (Basic immunisation of all persons not yet vaccinated or completion of an incomplete series of vaccinations)
 - U Early detection examination

 Vouth examination (J1 at the
- Youth examination (J1 at the age of 12-14 years old)

- first vaccine dose as early as the age of 6 weeks; depending on the vaccine used 2 or 3 vaccine doses at an interval of at least 4 weeks.
 Premature infants: Additional vaccine dose at the age of 3 months, i.e. a total of 4 vaccine doses.
 Minimum distance from the previous dose: 6 months.
 Iwo vaccine doses at least 5 months apart; in the case of a catch-up immunisation starting at an age ≥ 15 years old or a vaccination interval of <5 months between the 1st and 2nd dose, a 3std dose is necessary.
 Id booster vaccination interval Vests. Next due I'd vaccination requires on edose as a I'dap-IPV combination vaccination.
- One-time vaccination with an MMR vaccine for all persons born after 1970 ≥ 18 years old with an ambiguous vaccination status, without prior vaccination or with only one
- vaccination during childhood.

 Vaccination with the 23-valent polysaccharide vaccine.

 Double vaccination with the adjuvant inactivated herpes zoster vaccine at least 2 to no

 - more than 6 months apart.

 * Vaccinations can be spread over multiple vaccination appointments. MMR and V can be administered at the same appointment or in 4-week intervals.